

SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT

Title V Permit Summary

AQMD Facility ID:	14146	Company Name:	MacGregor Yacht Corporation	
Equipment Location:	1631 & 1647 Placentia Ave., Costa Mesa, CA 92627			SIC Code: 3732
Permit Revision #:		Revision Date:	Facility Permit Section(s) Affected:	
Application #(s):	503785	Application Submittal Date(s):	11/18/2009	
AQMD Contact Person:	Hamed Mandilawi	Phone #:	(909) 396-3275	E-Mail Address: hmandilawi@aqmd.gov
Project Description: This is an existing company applying for a Title V permit renewal that is engaged in the business of building boats. The facility operates three spray booths, 12 styrene storage tanks, and other supporting equipment.				
Permit Type: <input type="checkbox"/> Initial Title V Permit <input type="checkbox"/> Significant Revision <input checked="" type="checkbox"/> Permit Renewal				
Permit Features: <input type="checkbox"/> Federally Enforceable Emission Cap For Exemption From Certain NESHAP Requirements <input type="checkbox"/> Permit Shield Applies <input type="checkbox"/> Permit Contains Conditions Allowing Emission Trading <input type="checkbox"/> Alternative Operating Scenario <input type="checkbox"/> Permit Streamlines Overlapping or Outdated Requirements <input type="checkbox"/> Other: _____ <input type="checkbox"/> Source Out of Compliance With Applicable Requirements and/or Operating Under a Variance				
Toxic Air Contaminant Emissions (TAC) - Annual Reported Emissions for Reporting Year: 2009		<input checked="" type="checkbox"/> No TACs Reported <input type="checkbox"/> The Following TACs Were Reported: _____ Emissions (lbs/yr): _____		
Health Risk From Toxic Air Contaminants: <input type="checkbox"/> Health Risk Reduction Plan in Force (AQMD Rule 1402) (date): _____ <input type="checkbox"/> Health Risk Assessment Required for this Permit Action (AQMD Rule 1401) <input checked="" type="checkbox"/> Facility is Subject to Review by the Air Toxics Information and Assessment Act (AB2588) <input type="checkbox"/> Facility Determined to be Exempt from AB2588 Requirements <input type="checkbox"/> AQMD is Tracking Status of Facility under AB2588 <input type="checkbox"/> Health Risk Assessment Submitted to AQMD and Is Being Reviewed <input checked="" type="checkbox"/> Final Facility Health Risk Approved (date) _____ 1998 Cancer Risk = <u>5.5 in one million</u> Acute Hazard Index = <u>0.0</u> Chronic Hazard Index = <u>0.1</u>				
Criteria Pollutant Emissions Annual Reported Emissions (tons/year) for Reporting Year: 2009		<input type="checkbox"/> NOx _____ <input type="checkbox"/> PM _____ <input type="checkbox"/> CO _____ <input type="checkbox"/> SOx _____ <input checked="" type="checkbox"/> VOC <u>7.252</u> <input type="checkbox"/> Other: _____		
Compliance History: <input checked="" type="checkbox"/> Citizen Complaints Filed in Last Two Calendar Years (# 0) <input checked="" type="checkbox"/> Notices to Comply Issued in Last Two Calendar Years (# 0) <input checked="" type="checkbox"/> Notices of Violation Issued in Last Two Calendar Years (# 1)				
Comments:				

